M

## STATE OF UTAH

## DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple

3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 Telephone: (801) 538-5340

Fax: (801) 359-3940



DIVISION OF OIL, GAS & MINING

## ANNUAL REPORT OF MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1953, as amended, and the General Rules as promulgated under the Utah Minerals Regulatory Program. An operator conducting mining operations under a Notice of Intention must file an annual operations and progress report (FORM MR-AR) with the Division.

I.	General Information	
	1.	Report Time Period: From (mo./yr.) Jan 1994 To (mo./yr.) Jan 1995
	2.	DOGM File Number (Mine No): 5/023/028
	3.	Mine Name: Treasure Chest Claims
	4.	Mineral(s) Mined (or permitted to mine): Dugway Geodes
	5.	Type of mine Surface Mine or Underground Mine
	6.	Legal Description (Location of Lands Affected): Copy attached
		1/4,1/4, Section, Township, Range
		1/4,1/4, Section, Township, Range
		1/4,1/4, Section, Township, Range
	7.	Name of Operator or Company: Loy D Crapo
	8.	Permanent Street Address: 350 EgsT 300 SouTh
		City, State, Zip: DelTa, UTah. 84624
		Phone: 864-2402
	9.	Company Representative (or designated operator):
		Name:Same
		Title:
		Business Address:
		City, State, Zip:
		Phone:
		Please check if any of the above information has changed since previous year.
II.	Mini	ng and Reclamation
	1.	Was the mine active during the past year? Yes ☑ No ☐
	2.	If active, how much ore or mineral was mined? 20 Tons Geodes

NO.5: SW1/ Sec.1 & NW1/4 Sec.12 T.11S R.12W SE1/4 Sec.1 T.11 1.12W NO.1: \*SW1/4 Sec.6 T.1 R.11W MO.6: SE1/4 & SW1/4 Sec.1, NE1/4 & NW1/4 Sec. 12 T.11S R.12W SE1/4 Sec.1 T.11S R.12W NO.2: SW1/4 Sec.6 T.11S R.11W Ma.7 : SE1/4 Sec.1 & NE1/4 Sec.12 T.115 R-12W SE1/4 Sec.1 T.11S R.12W NO.3: SW1/4 Sec.6 T.11S R.11W N' - : NW1/4, NE1/4, & SW1/4, SE1/4 Sec.12 T.11S R.12W SE1/4 Sec.1 T.115 R.12W NO.4: SW1/4 Sec.6 T.118 R.11W